

Ex. 5 Deliberative Process (DP)

From: D'Almeida, Carolyn <dAlmeida.Carolyn@epa.gov>

Sent: Thursday, May 9, 2019 11:44 AM

To: Smallbeck, Donald R. <donald.smallbeck@woodplc.com>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; Davis, Eva <Davis.Eva@epa.gov>; GANGNUSS, GREGORY G GS-14 USAF HAF AFCEC/CIBP <gregory.gangnuss@us.af.mil>; Goers, Nicole <Nicole.Goers@TechLawInc.com>; Brasaemle, Karla <Karla.Brasaemle@TechLawInc.com>; Rohrbaugh, Amanda <Amanda.Rohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; William Hughes <William.Hughes@cn-bus.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>; 'Panzino, Paula@azdeq.gov' <Panzino.Paula@azdeq.gov>

Subject: RE: ST012 Site Activities

Thank you Don.

Are you planning to collect baseline and periodic monitoring data using the screening kits, or will that be done with the MI QuantArray lab test you did before? What is the planned schedule/frequency of microbial sampling?

Carolyn d'Almeida
Remedial Project Manager
Federal Facilities Branch (SFD 8-1)
US EPA Region 9 Laboratory
1337 South 46th Street, Building 201
Richmond, CA 94804
(415) 972-3150

"We can evade reality, but we cannot evade the consequences of evading reality." - Ayn Rand

From: Smallbeck, Donald R. <donald.smallbeck@woodplc.com>

Sent: Thursday, May 9, 2019 11:34 AM

To: D'Almeida, Carolyn <dAlmeida.Carolyn@epa.gov>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; Davis, Eva <Davis.Eva@epa.gov>; GANGNUSS, GREGORY G GS-14 USAF HAF AFCEC/CIBP <gregory.gangnuss@us.af.mil>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-

enviro.com>; William Hughes <William.Hughes@cn-bus.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>; 'Panzino.Paula@azdeq.gov' <Panzino.Paula@azdeq.gov>

Subject: RE: ST012 Site Activities

Please find attached the field test screening information.

The results to date are

UWBZ27 1.15x10⁵ cfu/ml

LSZ39 325 to 1400 cfu/ml

cfu=colony forming units

From: D'Almeida, Carolyn <dAlmeida.Carolyn@epa.gov>

Sent: Thursday, May 09, 2019 10:47 AM

To: Smallbeck, Donald R. <donald.smallbeck@woodplc.com>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; Davis, Eva <Davis.Eva@epa.gov>; GANGNUSS, GREGORY G GS-14 USAF HAF AFCEC/CIBP <gregory.gangnuss@us.af.mil>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; William Hughes <William.Hughes@cn-bus.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>; 'Panzino.Paula@azdeq.gov' <Panzino.Paula@azdeq.gov>

Subject: RE: ST012 Site Activities

Thanks Don

Can you tell us what the name/manufacturer of field test kit you are using for sulfate reducers, and compilation of data you have so far for each of the wells?

Carolyn d'Almeida
Remedial Project Manager
Federal Facilities Branch (SFD 8-1)
US EPA Region 9 Laboratory
1337 South 46th Street, Building 201
Richmond, CA 94804
(415) 972-3150

"We can evade reality, but we cannot evade the consequences of evading reality." - Ayn Rand

From: Smallbeck, Donald R. <donald.smallbeck@woodplc.com>

Sent: Wednesday, May 8, 2019 2:07 PM

To: D'Almeida, Carolyn <dAlmeida.Carolyn@epa.gov>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; Davis, Eva <Davis.Eva@epa.gov>; GANGNUSS, GREGORY G GS-14 USAF HAF AFCEC/CIBP <gregory.gangnuss@us.af.mil>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; William Hughes <William.Hughes@cn-bus.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings,

Eleanor' <Eleanor.Jennings@parsons.com>; 'Panzino.Paula@azdeq.gov' <Panzino.Paula@azdeq.gov>

Subject: RE: ST012 Site Activities

Carolyn

It is a field screening test kit performed by Wood personnel which has been described in previous BCT presentations. There is no specific report other than the test kit results. I will provide the information associated with the kits in a separate email.

From: D'Almeida, Carolyn <dAlmeida.Carolyn@epa.gov>

Sent: Wednesday, May 08, 2019 2:03 PM

To: Smallbeck, Donald R. <donald.smallbeck@woodplc.com>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; Davis, Eva <Davis.Eva@epa.gov>; GANGNUSS, GREGORY G GS-14 USAF HAF AFCEC/CIBP <gregory.gangnuss@us.af.mil>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; William Hughes <William.Hughes@cn-bus.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>; 'Panzino.Paula@azdeq.gov' <Panzino.Paula@azdeq.gov>

Subject: RE: ST012 Site Activities

Can we get the field screening data reports indicating presence of sulfate reducers referenced below?
Thank you.

Carolyn d'Almeida
Remedial Project Manager
Federal Facilities Branch (SFD 8-1)
US EPA Region 9 Laboratory
1337 South 46th Street, Building 201
Richmond, CA 94804
(415) 972-3150

"We can evade reality, but we cannot evade the consequences of evading reality." - Ayn Rand

From: Smallbeck, Donald R. <donald.smallbeck@woodplc.com>

Sent: Wednesday, May 8, 2019 1:47 PM

To: 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; D'Almeida, Carolyn <dAlmeida.Carolyn@epa.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; Davis, Eva <Davis.Eva@epa.gov>; GANGNUSS, GREGORY G GS-14 USAF HAF AFCEC/CIBP <gregory.gangnuss@us.af.mil>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; William Hughes <William.Hughes@cn-bus.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>; 'Panzino.Paula@azdeq.gov' <Panzino.Paula@azdeq.gov>

Subject: ST012 Site Activities

Activities through last week (5/03)

- SVE Operation
- LNAPL checks
- CZ21 repaired with new motor
- Continued extraction and treatment ~50 gpm, ~17.5 million total gallons treated since startup of EBR extraction.

- Operating Extraction Wells: CZ07, CZ21, UWBZ21, UWBZ26, UWBZ27, UWBZ30, LSZ09, LSZ11, LSZ12, LSZ23, LSZ37, LSZ38, LSZ39
- Extraction Wells Down: CZ18, UWBZ22
- CZ07 pumping at approximately 14 gpm.
- Started quarterly GW sampling (except for extraction wells still to be repaired)
- Injections:
 - UWBZ35: 3 tons 4/8, ~1 ton 4/9, 0.7 tons 4/10, 2.7 tons 4/12
 - LSZ08: 2 tons 4/9, 1.3 tons 4/10, 2.3 tons 4/12, 3 tons 4/17, 5 tons 4/18, 2.6 tons 4/25
 - LSZ47: 0.4 tons 4/25, 3 tons 4/26, 4.3 tons 4/29,
 - LSZ48: 5 tons 4/30, 2.5 tons 5/1
 - LSZ49: 3.5 tons 5/1, 2 tons 5/3
- Sulfate screening at LZS39 indicates that the sulfate concentration has achieved breakthrough, is in a range for EBR to commence, (approximately 1,000 mg/L and extraction was stopped on May 2 for aquifer re-equilibration. Field screening (semi-quantitative) of sulfate reducers after pumping was stopped (approximately 7 days) indicated a low level population is present. Approximately 10-14 days after extraction ceases, a Time 0 groundwater sample will be collected to establish a VOCs and inorganic parameter profile.
- Sulfate screening at UWBZ27 indicates that sulfate concentration has achieved breakthrough, is in range for EBR to commence, (approximately 1,000 mg/L and extraction was stopped on May 2 for aquifer re-equilibration. Field screening (semi-quantitative) of sulfate reducers after pumping had stopped (approximately 7 days) indicated a robust population of approximately 1×10^5 is present. Approximately 10-14 days after extraction ceases, a Time 0 groundwater sample will be collected to establish a VOCs and inorganic parameter profile.

This week (5/6-5/10)

- SVE Operation
- Continue extraction
- LNAPL checks
- CZ07 repair (went down 5/7, repair scheduled 5/9)
- Continue quarterly GW sampling
- Continue injecting sulfate

Next Week (5/13-5/17)

- SVE Operation
- LNAPL checks
- Continue extraction
- Repair CZ18 and UWBZ22
- Continue Injecting sulfate
- Time 0 sampling at LSZ39 and UWBZ27

This message is the property of John Wood Group PLC and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorized use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability

for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system.

If you do not wish to receive future unsolicited commercial electronic messages from us, please forward this email to: unsubscribe@woodplc.com and include "Unsubscribe" in the subject line. If applicable, you will continue to receive invoices, project communications and similar factual, non-commercial electronic communications.

Please click <http://www.woodplc.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

As a recipient of an email from a John Wood Group Plc company, your contact information will be on our systems and we may hold other personal data about you such as identification information, CVs, financial information and information contained in correspondence. For more information on our privacy practices and your data protection rights, please see our privacy notice at <https://www.woodplc.com/policies/privacy-notice>
